





[USER MANUAL]

Audio Master G3

Contents

System requirements	2
Audio Master G3 setup	3-10
Illustration for audio content compiler	11-12
Create new project	13
Open an existing project	13
Verify source files are available or not	14
Manage and compile your audio files	15
Monitor your audio files	
Next track and linear tour	17
Create 2 nd level audio file	18
Create assistive audio file	
Set default language	19
Manage and compile your image files	
Add new image files	21
Create new languages and flags	22
GPS location setup	23
Set shut down (sleep) time	
Auxiliary functions setup	25
Upload audio contents to audioguide	26

Audio Master G3

System Requirements

OS

- Microsoft Windows 7: 32-bit SP2 or 64-bit
- Microsoft Windows Vista: 32-bit or 64-bit
- Microsoft Windows XP: 32-bit SP2 or SP3

CPU

- Microsoft Windows 7/Windows Vista: Intel Pentium 4 2GHz or above
- Microsoft Windows XP: Intel Pentium III 1GHz or above

RAM

- Microsoft Windows 7/Windows Vista : 1GB RAM or above
- Microsoft Windows XP: 512MB RAM or above

Disk Space

• 500MB Hard Disk Drive

Display

- Microsoft Windows 7/Windows Vista : 16 bit or (65000 colors)
- Microsoft Windows XP: 16 bit or (65000 colors)

X Microsoft, Windows XP, Windows Vista and Windows 7 are the registered trademarks of Microsoft Corporation.

💥 Intel and Pentium are the trademarks of Intel Corporation.

Program Setup

1. Insert disk and double click "Audio Master G3 setup.exe", as fig. 1.



(Figure 1)

2. Click "Next" when you see fig. 2.



(Figure 2)

3. Input authorized serial number (offered as a hardcopy) and click "Next" to continue, as fig. 3.

Audio Master G3 v.3.00 Setup	×
Serial Number Enter your serial number and click Next to continue.	okayo
Serial Number:	
< Back Next >	Cancel

(Figure 3)

4. Click "Next" to continue when you agree to the terms of the license agreement, as fig. 4.

ould follow terms
lling in all
lling in all
s made or given ed, unless otherwise E-J Electronics
ectively, the By loading or vish to so agree, do
s

(Figure 4)

5. Input user name and company then click "Next" to continue, as fig. 5.

J Audio Master G3 v.3.00 Setup	×
User Information Enter your information and click Next to continue.	okayo
Name:	
USER	
Company:	
< Back Next	
(Figure 5)	

- 6. Select a desired language to install and click "Next" to continue, as fig. 6.
 - % Right now, only English is available.

🛃 Audio Master G3 v.3.00 Setup	×
Select Language Select the language you want to install and click Next to continue.	okayo
Language:	
English	•
	8.6
< Back Next >	Cancel

(Figure 6)

7. Set a route for installation of Audio Master G3. Click "Next" to continue, as fig. 7.

🛃 Audio Master G3 v.3.00 Setup	×
Installation Folder Where would you like Audio Master G3 v.3.00 to be installed?	
The software will be installed in the folder listed below. To select a different location, e new path, or click Change to browse for an existing folder.	ither key in a
Install Audio Master G3 v.3.00 to:	
C:\Program Files (x86)\Audio Master G3 v.3.00	C <u>h</u> ange
Space required: 8.59 MB Space available on selected driver: 27.59 GB	
< Back Next >	Cancel

(Figure 7)

8. Create a shortcut for this program, as fig. 8.

🛃 Audio Master G3 v.3.00 Setup	×
Shortcut Folder Where would you like the shortcut to be installed?	okayo
The shortcut icon will be created in the folder indicated below. If you don't want to folder, you can either type a new name, or select an existing folder from the list.	use the default
Shortcut Folder:	
Audio Master G3 v.3.00	-
 Install shortcut for current user only Make shortcut available to all users 	
< Back Next >	<u>C</u> ancel

(Figure 8)


Audio Master G3 | Program Setup

9. Click "Next" when the information shown is correct, as fig. 9.

🛃 Audio Master G3 v.3.00 Setup	×
Ready to Install You are now ready to install Audio Master G3 v.3.00	okayo
The installer now has enough information to install Audio Master G3 v.3.00 on	your computer.
The following settings will be used:	
Installation folder: C:\Program Files (x86)\Audio Master G3 v.3.00	
Shortcut folder: Audio Master G3 v.3.00	
Language: English	
Please click Next to proceed the installation.	
< Back Next >	Cancel
(


(Figure 9)

10. Installation is running, as fig. 10.



(Figure 10)

11. Click "Finish" when the installation is succeeded, as fig. 11. A shortcut icon, as fig. 12, will be available on desktop.




(Figure 11)

(Figure 12)

12. Now, select and double click "GoogleEarthWin.exe", as fig. 13, shown in the disk.



13. 1st st step of initial installation is in progress, as fig. 14.



(Figure 14)

14. 2nd step of initial installation is in progress, as fig. 15.



(Figure 15)

15. Click "Install" to continue, as fig. 16.



(Figure 16)

16. The installation of Google Earth is running, as fig. 17.

뤻 Google	Earth - InstallShield Wizard 📃 💌
	Google Earth ram features you selected are being installed.
1 .	Please wait while the InstallShield Wizard Installs Google Earth. This may take several minutes. Status: Updating component registration
InstallShield -	< Back Next > Cancel

(Figure 17)

17. Tick options you like, then click "Finish" to complete the installation, as fig. 18. A shortcut icon, as fig. 19, will be available on desktop.



(Figure 18)

(Figure 19)

Double click shortcut icon to activate audio compiler "Audio Master G3", as fig. 20. The patent page, as fig. 21, will be appeared for seconds before control console is coming out.



(Figure 20)

(Figure 21)



A. Project management zone You are able to create, to open, to revise or to save a project in this zone.

B. Function management by category

Audio – click this tag to manage all audio files.

Picture – click this tag to manage all image files.

GPS - click this tag to manage GPS location of each audio content.

Setting – click this tag to set all auxiliary settings.

Connect – click this tag to upload audio contents to an audioguide.

C. Audio file monitor

To play and verify a selected audio file in real-time.

D. Route explorer

For quick exploration to audio sources.

- E. Source audio folder summary
 Present all available audio files from a target folder, for content compiling.
 The compatible audio format shall be MPEG1 Layer 3, with bit rate < 128kbps.
- F. Target language folders32 language folders are available, from 951 to 982.
- G. Target folder programming zone

9999 audio tracks are available for audio tour, per language folder, from number code 0001 to 9999.


℁ Create new project:

Click "New" to create a new project, as fig. 22-1.



※ Open an existing project:

Click "Open" to access an existing project, as fig. 22-2. Select a desired project on the list, as fig. 22-3.



(Figure 22-3)

[≫] Save a project:

(Figure 22-4)

Click "Save" to store your project when finishing the audio compiling, as fig. 22-4. Give a file name to the project and save it, as fig. 22-5.

Save in: 🍑 Taipei Tourist Guide	- 🗢 🗈 🗂 -
Name	Date modified Type
Recent Places	2012/9/6 AM 09:29 File fo
ALAM	2012/9/6 AM 09:31 File fo
📒 🌙 сн	2012/9/6 AM 09:30 File fo
Desktop JEN	2012/9/6 AM 09:30 File fo
JP 🔒	2012/9/6 AM 09:30 File fo
🔚 🔒 KR	2012/9/6 AM 09:30 File fo
Libraries 🌙 PIC	2012/9/6 AM 09:31 File fo
👔 📄 👔 Taipei Tourist Guide PIC	2012/9/6 AM 09:31 File fo
G2.1.at3	2012/8/3 AM 11:07 AT3 Fi
Computer G2.at3	2012/7/17 AM 11:06 AT3 Fi
٠ (III)	
File name:	-

(Figure 22-5)

13

※ Verify if source files are available or not

Click "Check Files" (as fig. 22-6) to verify if all audio files which are allocated to respective languages are available or not. A talk window (as fig. 22-7) will come out if some audio file doesn't exist or the route of files is missing. A exclamation mark can be observed beside number code, as fig. 22-8.



(Figure 22-6)

Audio Master G3
Some files do not exist! Please check this project.
ОК

(Figure 22-7)

Track Number	Track Name	Next Track Number	#Key	Size (MB)	Time	Route
0001	1.Discovery Center	0500		0.81	02:01	D:\Taipei Tourist Guide\EN\
0002						
0003						
0004						
0005						
0006						

(Figure 22-8)

[≫] How to compile audio files to a designated language

Click a designated language folder, say 951, and drag/double-click desired audio files from Source Folder Summary to Target Folder Programming Zone, as fig. 23.

tè - Realtek													
Reference				•	1							00 00 02 28	
Renesat				File Name		Size (ME	0 Te	TR	Bitrate (kb	(eq			
Renesas	Electronics			34.78xx Threa		3.14	07	28	64				
B BDA					storic Street Area	1.16	02		64				
B- SEGGE	2			36 Visiting Ho 37 Taipei Stor		1.14	02		64 64				
ii- B Skype					n Culture Tour mp3	1.02	02		64				
SONG				39 Manka His	torical Tour rep3	1.18	62	-33	64				
re Teamhle	wer			40 Hot Spring	Heritage Tour.mp3	1.03	02		64				
18 a The Kill				41 Art and Cu	ture Tour mp3	1.04	02	16	64				
18 A Thermol	2			• X		_							_
in Longer	Elw, (51)	Dise 1642 44	1825 Terrs (D4: 24-42)	Track Namber	Track Name	Next T	ck Nambe	e #Key	Size (MB)	Татне	Reste		
11	123	115.56	84:24:45	0001	1.Discovery Center	-			0.81	02.01	C:IProgram Files (x86(dONG).		
2		0.00	00100100	0002	2.Taipei 101.mp3		V	D	0.84	02.06	C:Program Files (x84)/SONGI		
13	0	0.00	00.00.00	0003	3.National Dr. Sun				0.79	01:57	C IProgram Files (x86)(SONG)		
15		0.00	00 00 00	0004	4 The Office of the . 5 CKS Memorial Ha			- N	0.77	01:54	C Program Files (x81/50NG) C Program Files (x85/50NG)		
10		0.00	00.00.00	0006	6 Zhongshan Hall m			Н	0.80	01:59	C Program Files (d81/SONG)		
7	0	0.00	00 00 00	0007	7 Xmon Red House			н	0.75	01:38	C Program Files (x841/SONG)		
8	0	0.00	00.00.00	0008	8 Ximunding mp3			Ď	0.88	02.11	C:Program Files (x84)/SONG.		
9	0	0.00	00:00:00	0009	9 Longshan Temple				0.85	02.07	C:(Program Files (x86)(SONG),		
0	0	0.00	00:00:00	0010	10.Humi St. Night .				0.80	01:59	C:/Program Files (x86)/SONGI		
1	0	0.00	00 00 00 00 00 00 00 00 00 00 00 00 00	0011	11. Mackong Gonda			Q	0.05	01:55	C:IProgram Files (x84)/SONG/		
12	0	0.00	00.00.00	0012	13. Taipei Zoo. mp3				0.89	01:42	C:/Program Files (x86)/SONO/ C:/Program Files (x86)/SONO/		
4		0.00	00.00.00	0014	14 Baitra Park mail			- H	101	02.12	C Program Files (#81/SONO)		
16	0	0.00	00 00 00	0015	15 Deitou Hot Sprin			H	0.76	01:54	C Progan Files (xM)/SONG		
16	0	0.00	00:00:00	0016	16 Beitou Library m	3		D	0.69	01:43	C:IProgram Files (x86)(SONG).		
17	0	0.00	00:00:00	0017	17 Thermal Valley				0.75	33:10	C:Program Files (x84)/SONG\		
18	0	0.00	00 00 00	0018	18 National Palace				0.94	02.20	C:IProgram Files (x86)(SONG)		
19	0	0.00	00 00 00	0019	19 Shiin Night Mar 20 CKS Shile Resi				0.76	01:53	C Program Files (x86)(SONG) C Program Files (x86)(SONG)		
1	0	0.00	00.00.00	0020	20 CKS Shan Hesi. 21 Yanamingshan			H	0.96	02:23	Crengram Hills (deptsonic). Crengram Files (d81/SONG).		
2	0	0.00	00 00 00	0022	22 Taipei Fine Arts			H	0.78	01:56	C Program Files (cM100ND)		
3	0	0.00	00.00.00	0023	23 Taipei Contucian			- M-	0.77	01:55	C Program Files (s861/SONG)		
4	0	0.00	00:00:00	0024	24 Dakongdong Bao			D	1.65	02.52	C:IPtogram Files (x86)/SONG\		
5	0	0.00	00:00:00	0025	25 Xinglian Temple.				0.93	02.19	C: Program Files (x86)(SONG).		
5	0	0.00	00 00 00 00 00 00 00 00 00 00 00 00 00	0026	26 Xinyi Basiness D			8	1.05	02.20	C Program Files (xH1)/SONG/		
8		0.00	00.00.00	0027	27 Rache Street Ni. 28 Durbus S. Road			H	1.54	02.28	C iProgram Files (x86)(SONG). C iProgram Files (x86)(SONG).		
2	0	0.00	00.00.00	0029	20 Durnus S. Hose 29 Herbal Medicine			H	1.12	02.25	C Program Files (x851/30NO)		
10	0	0.00	00 00 00	0030	30 Talwas Polk Arts			10	105	02.17	C Plogan Files (xM)/SONG.		
1	0	0.00	00:00:00	0031	31 Qinoshui Tempia			n	1.04	02.15	C: Program Files (x861/SONG)		
12	0	0.00	00:00:00	0032	32 Qingshon Templ				1.15	02:30	C: Program Files (x84)(SONG).		
				0033	33.5pa cuisine.mp3				0.98	02.00	C:IProgram Files (x84)(SONG)		
				0034	34 The Three Treas.			H	1.14	62.28	C Program Files (x86)/SONG.		
				0035	35 Bopiliao Historic 36 Visiting Het Spri			H	1.15	02.32	C Program Files (x86)(SONG) C Program Files (x86)(SONG)		
				0036	36 Visiting Het Spri 37 Taipei Story Hou			10	1.90	02.29	C:Program Fries (x86)/SUNGA C:Program Files (x86)/SUNGA		
				0038	38 Tarpei Urban Cul			- H -	1.02	02.13	C Program Files (d61/SONO)		
				0039	39 Marika Historical			H	1.12	02.33	C Program Files (x86)/GONG		
				0040	40 Hot Spring Hart			1	1.03	02.14	C IProgram Files (x86(r/SONG)		

(Figure 23)

You can also copy an audio file from Source Folder Summary and paste it to Target Folder Programming Zone, as fig. 23-1.

II =				00:00/02:01	
File Name		Size (MB)	Time	Title	
1.Discovery Center of	Tainei m	0.81	02:01	Discovery Center of Taipei	E
2.Taipei 101.mp3	Сору		02:05	Taipei 101	
3.National Dr. Sun Yat-s	en Mem	0.79	01:57	National Dr. Sun Yat-sen Memor	
4. The Office of the Presi	dent.mp3	0.77	01:54	The Office of the President	
5.CKS Memorial Hall.mp	03	0.86	02:09	CKS Memorial Hall	
6.Zhongshan Hall.mp3		0.80	01:59	Zhongshan Hall	
7.Ximen Red House.mp3	3	0.76	01:53	Ximen Red House	
• Vimonding mp?		0.00	02-11	Vimanding	•



[≫] Monitor an audio file

Click an audio file that you want to monitor, and click "play icon" to listen to audio content, as fig. 23-2.

			00:00/02:01	
File Name	Size (MB)	Time	Title	-
1.Discovery Center of Taipei.m	0.81	02:01	Discovery Center of Taipei	E
2.Taipei 101.mp3	0.84	02:05	Taipei 101	
3.National Dr. Sun Yat-sen Mem	0.79	01:57	National Dr. Sun Yat-sen Memor	
4.The Office of the President.mp3	0.77	01:54	The Office of the President	
5.CKS Memorial Hall.mp3	0.86	02:09	CKS Memorial Hall	
6.Zhongshan Hall.mp3	0.80	01:59	Zhongshan Hall	
7.Ximen Red House.mp3	0.76	01:53	Ximen Red House	
Q Vincending mg2	0.00	02.11	Vimonding	

(Figure 23-2)

You can access various functions, such as "Cut", "Paste", "Delete", "Insert", " Check Files" and "Update Selected" in Target Folder Programming zone with a right click on the mouse, as fig. 23-3.

Track Number	Track Name	Next Track Nu	ımber	#Key	Size (MB)	Time	Route
0001	1.Discovery Cen	Cut			0.81	02:01	D:\Taipei Tourist Guide\EN\
0002	2.Taipei 101.mp3	Paste			0.84	02:05	D:\Taipei Tourist Guide\EN\
0003	3.National Dr. Su	Delete			0.79	01:57	D:\Taipei Tourist Guide\EN\
0004	4.The Office of th	Insert			0.77	01:54	D:\Taipei Tourist Guide\EN\
0005	5.CKS Memorial -				0.86	02:09	D:\Taipei Tourist Guide\EN\
0006	6.Zhongshan Hal	Check Files			0.80	01:59	D:\Taipei Tourist Guide\EN\
0007	7.Ximen Red Hou	Update Selected			0.76	01:53	D:\Taipei Tourist Guide\EN\
0008	8.Ximending.mp3				0.88	02:11	D:\Taipei Tourist Guide\EN\
0009	9.Longshan Temple	ə			0.85	02:07	D:\Taipei Tourist Guide\EN\

(Figure 23-3)

℁ Next track and linear tour

"Next Track Number" is designed specially for tour planners to propose a linear tour. You can input a next track number on any other available audio track numbers. For example, when inputting "20" to next track number followed audio track number 0001, as fig. 24, the users can access audio track number 0020 when he or she presses Play button after the playback of 0001 ends.

⇐ Any number that is input to "Next Track Number" must be really available on the list, or there will come out an error message, as fig. 24-1.

Track Number	Track Name	Next Track Number	#Key	Size (MB)	Time	Route
0001	1.Discovery Center	20		0.81	02:01	D:\Taipei Tourist Guide\EN\
0002	2.Taipei 101.mp3			0.84	02:05	D:\Taipei Tourist Guide\EN\
0003	3.National Dr. Sun			0.79	01:57	D:\Taipei Tourist Guide\EN\
0004	4.The Office of the			0.77	01:54	D:\Taipei Tourist Guide\EN\
0005	5.CKS Memorial Ha			0.86	02:09	D:\Taipei Tourist Guide\EN\
0006	6.Zhongshan Hall.m			0.80	01:59	D:\Taipei Tourist Guide\EN\
0007	7.Ximen Red House			0.76	01:53	D:\Taipei Tourist Guide\EN\
8000	8.Ximending.mp3			0.88	02:11	D:\Taipei Tourist Guide\EN\
0009	9.Longshan Temple			0.85	02:07	D:\Taipei Tourist Guide\EN\
0010	10.Huaxi St. Night			0.80	01:59	D:\Taipei Tourist Guide\EN\
0011	11.Maokong Gondol			0.77	01:55	D:\Taipei Tourist Guide\EN\
0012	12.Zhinan Temple			0.68	01:42	D:\Taipei Tourist Guide\EN\
0013	13.Taipei Zoo.mp3			0.89	02:13	D:\Taipei Tourist Guide\EN\
0014	14.Beitou Hot Sprin			0.70	01:45	D:\Taipei Tourist Guide\EN\
0015	15.Beitou Hot Sprin			0.76	01:54	D:\Taipei Tourist Guide\EN\
0016	16.Beitou Library.mp3			0.69	01:43	D:\Taipei Tourist Guide\EN\
0017	17.Thermal Valley			0.78	01:56	D:\Taipei Tourist Guide\EN\
0018	18.National Palace			0.94	02:20	D:\Taipei Tourist Guide\EN\
0019	19.Shilin Night Mar			0.76	01:53	D:\Taipei Tourist Guide\EN\
0020	20.CKS Shilin Resi			0.66	01:38	D:\Taipei Tourist Guide\EN\
0021	21.Taipei Fine Arts			0.78	01:56	D:\Taipei Tourist Guide\EN\
0022	22.Taipei Confucian			0.77	01:55	D:\Taipei Tourist Guide\EN\
0023	23.Xingtian Temple			0.93	02:19	D:\Taipei Tourist Guide\EN\
0024	24. Yangmingshan			0.96	02:23	D:\Taipei Tourist Guide\EN\
0025	25.Taipei Urban Cul			1.02	02:13	D:\Taipei Tourist Guide\EN\

(Figure 24)



(Figure 24-1)

※ Create and access 2nd level audio track (via # key)

 2^{nd} level audio track can be accessed at any time through a press on "#" key. During audio playback, users can press # key to leave where he/she is and then listen to a new audio track. When the new audio track is finished, or users want to escape from it, he or she can press # key again to come back to where he/she is.

- ☞ Only a track number that is clicked in # key column can be performed with # key, as fig. 24-2.
- In the same time.
 In the same time.

Track Number	Track Name	Next Track Number	#Key	Size (MB)	Time	Route
0001	1.Discovery Center	0020		0.81	02:01	D:\Taipei Tourist Guide\EN\
0002	2.Taipei 101.mp3	0021		0.84	02:05	D:\Taipei Tourist Guide\EN\
0003	3.National Dr. Sun	0022		0.79	01:57	D:\Taipei Tourist Guide\EN\
0004	4.The Office of the	0023		0.77	01:54	D:\Taipei Tourist Guide\EN\
0005	5.CKS Memorial Ha	0024		0.86	02:09	D:\Taipei Tourist Guide\EN\
0006	6.Zhongshan Hall.m	0025		0.80	01:59	D:\Taipei Tourist Guide\EN\
0007	7.Ximen Red House		\checkmark	0.76	01:53	D:\Taipei Tourist Guide\EN\
0008	8.Ximending.mp3			0.88	02:11	D:\Taipei Tourist Guide\EN\
0009	9.Longshan Temple		\checkmark	0.85	02:07	D:\Taipei Tourist Guide\EN\
0010	10.Huaxi St. Night		\checkmark	0.80	01:59	D:\Taipei Tourist Guide\EN\
0011	11.Maokong Gond		\checkmark	0.77	01:55	D:\Taipei Tourist Guide\EN\
0012	12.Zhinan Temple			0.68	01:42	D:\Taipei Tourist Guide\EN\
0013	13.Taipei Zoo.mp3			0.89	02:13	D:\Taipei Tourist Guide\EN\
0014	14.Beitou Hot Sprin			0.70	01:45	D:\Taipei Tourist Guide\EN\
0015	15.Beitou Hot Sprin			0.76	01:54	D:\Taipei Tourist Guide\EN\
0016	16.Beitou Library.mp3			0.69	01:43	D:\Taipei Tourist Guide\EN\
0017	17.Thermal Valley			0.78	01:56	D:\Taipei Tourist Guide\EN\
0018	18.National Palace			0.94	02:20	D:\Taipei Tourist Guide\EN\
0019	19.Shilin Night Mar			0.76	01:53	D:\Taipei Tourist Guide\EN\
0020	20.CKS Shilin Resi			0.66	01:38	D:\Taipei Tourist Guide\EN\
0021	21.Taipei Fine Arts			0.78	01:56	D:\Taipei Tourist Guide\EN\
0022	22.Taipei Confucian			0.77	01:55	D:\Taipei Tourist Guide\EN\
0023	23.Xingtian Temple			0.93	02:19	D:\Taipei Tourist Guide\EN\
0024	24. Yangmingshan			0.96	02:23	D:\Taipei Tourist Guide\EN\
0025	25.Taipei Urban Cul			1.02	02:13	D:\Taipei Tourist Guide\EN\

(Figure 24-2)

% Create assistive audio track (prompt audio)

Prompt audio is helpful to users to identify if the number code they input is correct or not. Select "Prompt Audio" under "Audio" tag then a programming sheet will come out on the bottom. Follow the same way (as fig. 25) you have learned previously to move audio files from Source Folder Summary to Prompt-Audio Programming Sheet.

8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		0.0	ok Unk Size (218.92 ME) 118.79	Time (08 08 45) 04:31:45	35 Depties Hi 36 Visiting His 37 Tables Units 39 Marka His 40 Hist Spring 41 Art and Cal • r	Size i Trasseres of Spa A. 114 durin Bitmet Area. 116 it Springs mp3 114 y fricoss.mp3 114 for Call and the Springs mp3 103 tarkat fraz mp3 103 tarkat fraz mp3 104	1	Time 62:28 62:32 62:29 62:29 62:29 62:13 62:33 62:14 62:16	Bitrate 64 64 64 64 64 64 64 64	e (Rbps)		80.9042.23 🛛 🕊	
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Renesas Electronic SDA SEQUER Situto	Piles (213)	ok Unk Size (218.92 ME) 118.79		34. The Three 35. Depline Hi 37. Falser Str 39. Taiger Unit 39. Marka Hia 40. Hist Spring 41. Art and Cal • r Track Number	Transures of Spa A. 1.14 Interic Ditent Area. 1.16 1.50rings.mp3 1.144 cy Inconsump3 1.164 in Culture Tour rep3 1.02 Interical Tour rep3 1.03 Inter Tour rep3 1.04	1	82-28 62-32 82-29 82-13 82-13 62-33 62-14	64 64 64 64 64 64	e (kôpo)			
8 8 9 10 10 10 10 10 10 10 10 10 10 10 10 10	BDA SEGGER Silabs Shype SONG ToamVewer The KMPlayer Thermolog Language	Files (213)	Size (218.92 MB) 118.79		35 Depties Hi 36 Visiting His 37 Tables Units 39 Marka His 40 Hist Spring 41 Art and Cal • r	storic Direct Area 116 1.5prings.mp3 1.14 1.5prings.mp3 1.19 1.5prings.mp3 1.19 1.5prings.mp3 1.01 1.5prings.mp3 1.03 Intertage Tour.mp3 1.03 Inter Tour.mp3 1.04	1	62:32 62:29 62:29 62:13 62:13 62:33 62:14	64 64 64 64 64				
8 8 10 10 10 10 10 10 10 10 10 10 10 10 10	SECOER Slabs Shype SONG Toam/lever The KMPlayer The KMPlayer The KMPlayer The KMPlayer		118.79		36 Visiting Ho 37. Falser Sto 30. Taiget Units 30. Taiget Units 30. Marka Hia 40. Hits Spring 41. Art and Cul • r Track Number	t Springs mp3 114 springs mp3 1.59 toxical Tour mp3 102 torical Tour mp3 103 have Tour mp3 104 have Tour mp3 104	1	02:29 02:22 02:13 02:13 02:13 02:13 02:14	64 64 64 64				
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Silabs Skype SONG ToamViewer The KMPTayer The KMPTayer The KMPTayer Language		118.79		A Taiper Sto 30 Taipei Urbs 30 Marka Hial 40 Hot Spring 41.Art and Cal • • Track Namber	ry Hooseump3 1.19 m Culhare Tour mp3 1.02 tarical Tour mp3 1.19 Hentage Tour mp3 1.03 hare Tour mp3 1.04	1	(222) (2213 (2233) (2214	64 64 64				
10 10 10 10 10 10 10 10 10 10 10 10 10 1	Skype SONS ToamViewer The KMPTayer The KMPTayer The moLog		118.79		39 Marka His 40 Het Spring 41.Art and Ca • 1 Track Number	torical Tour mp3 1.18 Hentage Tour mp3 1.03 hare Tour mp3 1.04		62:33 62:14	64 64				
10 10 10 10 10 10 10 10 10 10 10 10 10 1	ToamViewer The KMPTayer ThermoLog		118.79		40.Het Spring 41.Art and Ca • r Track Number	Heitage Tour mp3 1.03 have Tour mp3 1.04	1	42.14	64				
8 18 16 16 16 15 15 15 15 15 15 15 15	The KMPTayer ThermoLog Language		118.79		41.Art and Ca	hare Tour.mp3 1.04			64 64				
18 16er 1952 153 1954 1955	Language 1		118.79		r Track Number		-	92.19	04				
ider 961 952 953 954 955	Language		118.79			Track Name Na	-						
961 952 953 954 955	Language		118.79			Track Name Na							
952 953 954 955		128		44/31.45			et Trac Na	umber #Key	Size (M	B) Time	Route		
953 954 955		3			0001	1 Discovery Center	-		0.91	02.01	C:/Program Files (x86)/SONGI		
954 955				00.07.00	0002	2.Taipei 101.mp3		ŏ	0.84	62.65	C Program Files (x86)/SONGI		
955			3.23	00.07.00	0003	3 National Dr. Sun	_		0.79	01.57	C: Program Files (x86)/SONGI		
		5	3 23	00.07.00	0004	4.The Office of the 5 CKS Memorial Ha	_	Н	0.77	01:54	C IProgram Files (x85)SONG. C IProgram Files (x85)SONG.		
954		2		00.07.00	0006	5 UKS Memorial Hall m	_	- H	0.00	02.09	C:Program Free (c85)SONG.		
957			3.23	00 07 00	0007	7 Ximen Red House	_	H	0.75	01.38	C Program Files (x8E1SONG)		
121		1		00.07.00	0008	8.Ximending.mp3		H	0.88	02.11	C Program Files (x861SONG).		
959				00.07.00	0009	9 Longshan Temple	_	D	0.85	62.67	C:IProgram Files (x86)/SONG.		
160		3		00 07 00	0010	10. Huano St. Night	_		0.00	01.59	C:IProgram Files (x86)/SONGI		
961			3.23	00.07.00	0011	11 Macking Gondol	_		0.88	01:55	C Program Files (x88)/SONGI		
M2		5	3.23	00.07:00	0012	12 Zhinan Temple	_	8	0.68	01.42	C: Program Files (x8E)/SONGI		
15.J 164				00.07.00	0013	13 Taipei Zoo. mp3 14 Beltou Park. mp3	_		0.89	02.13 02.12	C Program Files (eBI)SONG. C Program Files (eBI)SONG.		
226				00.07.00	0015	15 Beitou Hot Spin	_	- N	0.76	01.54	C Program Files (c861SONG)		
666		1	121	00.07.00	0016	16 Detou Library mp3	_	- H	0.09	P1:43	C:Program Files (x861/SONG)		
967			3.23	00 07 00	0017	17. Thormal Valley	_	н	0.78	01.56	C Program Files (x865/50NG).		
968		3		00.07.00	0018	18 National Palace	_	D	0.94	62.20	C iProgram Files (x86)/SONGI		
909				00:07:00	0019	19. Shilin Night Mar	_		0.76	01.53	C1Program Files (x86)/SONGI.		
170		3		00.07.00	0820	20 CKS Shiin Resi.	_		0.65	01.38	C.Program Files (x88)/SONGI		
872				00.07.00	0021	21 Yangmingshan 22 Taipei Fine Arts	_		0.95	02:23	C: Program Files (x86)/SONG/ C: Program Files (x86)/SONG/		
173			3.23	00.07.00	9923	23 Taipei Confucian	_	H	0.77	01.55	C:Program Files (x8EISONG)		
174		1		00.07.00	0024	24 Delongtong Bes.	_	8	1.65	62.52	C Program Files (#BEISONG)		
175				00.07.00	0025	25 Xingtian Temple	_	H	0.93	02.19	C:Program Files (x86)/SONG.		
76		3	3.23	00.07.00	0026	26 Xityi Business D			1.03	62.20	C:Program Files (x86)(SONG).		
877			3.23	00.07.00	0027	27 Rache Street Ni	-		1.14	02.28	C IProgram Files (x86)/SONGI		
178		3		00.07:00	0029	28 Dunhua S. Road			0.95	01.53	C IProgram Files (x86)/SONGI		
979				00.07.00	0029	29 Herbel Medicine	_		1.12	62.25	C:Program Files (x86)/SONG		
HBD 981				00.07.00	0030	30 Taiwan Folk Arts 31 Qingshus Temple	-	B	1.05	02.17	C Program Files (x86)/SONG. C Program Files (x86)/SONG.		
981		2	3.23	00 07 00	0031	31 Gingshus Temple 32 Gineshan Terrel	_	H	1.04	02:15	C:Program Files (x86)/SONG. C:Program Files (x86)/SONG.		
***		-	343	00 01 00	0022	33 Soa cuisine ma3	_	- 8	0.98	62.00	C:Program Fries (x86)GONGI		
					0034	34 The Three Treas	_	H	1.14	02.28	C:Program Files (x8EISONG)		
					0035	35 Booiliao Historic	_	D	1.16	02.32	C (Program Files (x851SONG)		
					0036	35.Visiting Hot Spri			1.14	02.29	C Program Files (x86350NG)		
					kem	Track Number	Size M			Track Name	Raute		
					Language select	ted 951YES.mp3		02.2	3	37.Taipei Story Ho			
					Language does: Stop (peso) as			60-2 62-5	3	37 Taipei Story Ho 40 Hot Spring Her			

(Figure 25)

% Set default language


Move the arrow to desired language with a right lick then you can set it as default language, as fig. 25-1. A mark will be located beside selected language, as fig. 25-2.

Folder	Language	Files (160)	Size (145.72 MB)	Time (05:40:28)	^
951	English	40	36.43	01:25:07	
952	ChineseT	<u></u> 0	36.43	01:25:07	
	Set Default Language	D	36.43	01:25:07	1
954	Korean	40	36.43	01:25:07	
955		0	0.00	00:00:00	
956		0	0.00	00:00:00	

(Figure 25-1)

Folder	Language	Files (160)	Size (145.72 MB)	Time (05:40:28)	^
951	English	40	36.43	01:25:07	
V 952	ChineseT	40	36.43	01:25:07	
953	Japanese	40	36.43	01:25:07	
954	Korean	40	36.43	01:25:07	
955		0	0.00	00:00:00	
956		0	0.00	00:00:00	

(Figure 25-2)



- A. Manage and compile your image files
 By clicking "Picture", a downward menu with various function tags will come out for further image management.
- B. Route explorer

For quick exploration to image files.

C. Source image folder summary

Present all available images from a target folder, for content compiling. The compatible image shall be in BMP or JPG format.

D. Language and flag data bank


11 languages and flags are available in data bank, as system default. Only those languages and flags in data bank can be set to target language folder.

- E. Add new languages and flags to data bank
- F. Target language folders

32 language folders are available, from 951 to 982.

G. Target folder programming zone Drag desired images to respective audio track, from number code 0001 to 9999.


Allocate images to respective audio tracks by dragging it; follow the same way as you do when compiling audio files, as fig. 26. The images shall be in BMP and JPM format. The maximum size of every single image shall keep at 128 x 72 pixels.



(Figure 26)

% Create new languages and flags


- I. Input language in A, as fig. 26-1.
- II. Input country in B, as fig. 26-1.
- III. Double clicks on left button of the mouse in C; you can select a desired flag from source files, as fig. 26-2.
- IV. With a click on "Add to default pictures"; then you can find it in language and flag data bank. Set it to target folder as you want, as fig. 26-3.



※ GPS location setup

- A. Enter specific location
 - Click "search" after specific address or location name is entered.
- B. Enter GPS data Longitude and latitude can be edited directly for location search.
- C. Location list

This is a list of location which has been edited.



- 1. Enter specific address or location name.
- 2. Click "Search" and image of the location will show up below.
- 3. This is the location image after being searched.
- 4. Location name, longitude, latitude and distance range can also be set up here.
- Image: Minimum distance range is 15 meters. However, since it does exist tolerance of 5 meters, please make sure the distance between 2 locations is more than 20 meters.
- 5. Once all location data in step 4 are edited, it will be listed below after "Set" is clicked.
- 6. Each item number in the list refers to each track number. For example, track number 0001 will play the audio content of item 1 in the list.
- 7. If you would like to know specific location in the list, simply choose one of them, then click "Go to" and you'll see the location image on the left.



℁ Settings

Click tag "Setting" to access various settings to make the audioguide more flexible and fit different application. Two segments are available for various settings, as fig. 27.

New 🧰				Pict		GPS	0000	ting 🗠				
Θ												
Sleep	30	minutes	(OFF~255)	Set								
	_											
-	•	Activation		Auto Play		Prompt 1	Tome		Set			
Device	IR	C OFF	@ ON	C OFF	@ ON	C OFF	(F 0)					
	RF	@ OFF	C ON	@ OFF	CON	@ OFF	CON					
	GPS	@ OFF	CON	G OFF	CON	@ OFF	C 01					
	RFID	@ OFF	C ON	(OFF	C ON	(OFF	C 01					
	LOOP	C OFF	@ ON			C OFF	(F OF					
	PIC	C OFF	IF ON					_				

(Figure 27)

※ Set shut down (sleep) time

Define a time for audioguide to shut down automatically when it's not being in use. The default shut down time for audioguide is set on 30 minutes, which means audioguide will turn off automatically when not in use after 30 minutes. Fig.27-1 gives a good example. When it is set on OFF, which means audioguide will NOT shut down automatically until the battery energy is out. You must click "Set" to finalize and fix shut down time setting.



(Figure 27-1)

* There are various technologies employed in the audioguide with different function modules. This control sheet (see Fig.27-2) simply gives a command to supported firmware built in audioguide itself. You need respective hardware (device) to perform required function! You must click "Set" to finalize and fix function setting.

ŝ		Activation		Auto Play		Prompt Ton	ie	Set
Device	IR	C OFF	• ON	C OFF	• ON	C OFF	• ON	
	RF	• OFF	C ON	• OFF	C ON	• OFF	C ON	
	GPS	• OFF	C ON	• OFF	C ON	• OFF	C ON	
	RFID	• OFF	C ON	• OFF	C ON	• OFF	C ON	
	LOOP	C OFF	• ON			C OFF	• ON	
	PIC	C OFF	ON					

(Figure 27-2)

℁ Connect and upload

Make sure the audioguide is connected with your computer or laptop before you do data uploading. When you click "Update", all data will be uploaded to audioguide, as fig. 28.

	ter G3 v.3.00 itor(M) Help(H	0		_	Complex.	langi.		
	Copen [20]		Audio	Picture	() GPS	🛠 Setting	😽 Connect	
	_							
Update					0%			
		1				<u> </u>		
Item	Disk	Free Spac		I Space (MB)	Progress (%)			
1	F:\	1592.3	189	1.7	0	-		

(Figure 28)

A progress bar will bring uploading status to your attention during data uploading. You can also see a successful uploading message when the uploading is done, as fig. 28-1.

New	nitor(M) Help(F	Save D Au	dio 🎽 Picture	(III) GPS	🛠 Setting		
	- open			0.0	of Obtaing	Connect	
	Total 82	2 files have been up	loaded successfi	ully!			
- ili							
Updat	e			100%			
	_			,			
ltem	Disk	Free Space (MB)	Total Space (MB)	Progress (%)			
1	F:\	3759.0	3839.0	100			

(Figure 28-1)